Notice of Allowability	Application No.	Applicant(s)
	10/541,524	HARADA ET AL.
	Examiner	Art Unit
	Mark A. Robinson	2872
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communicatio IGHTS. This application is subject	oplication. If not included in will be mailed in due course. THIS
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-10</u> .		
 3. Acknowledgment is made of a claim for foreign priority unally All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have 	e been received. e been received in Application No	
3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF		
INFORMAL PATENT APPLICATION (PTO-152) which give		
5. X CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5. Notice of Informal	Patent Application
 Notice of References Cited (PTO-892) Dotice of Draftperson's Patent Drawing Review (PTO-948) 	6. Interview Summar	• •
•	Paper No./Mail D	ate .
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 8/18/06,7/7/05 	7. Examiner's Amend	Iment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Staten	nent of Reasons for Allowance
of Biological Material	9.	
• ,		

Application/Control Number: 10/541,524 Page 2

Art Unit: 2872

Drawings

1. Figures 13-18 should be designated by a legend such as -Prior Art-- because only that which is old is illustrated. See
MPEP \$ 608.02(g). Corrected drawings in compliance with 37 CFR
1.121(d) are required in reply to the Office action to avoid
abandonment of the application. The replacement sheet(s) should
be labeled "Replacement Sheet" in the page header (as per 37 CFR
1.84(c)) so as not to obstruct any portion of the drawing
figures. If the changes are not accepted by the examiner, the
applicant will be notified and informed of any required
corrective action in the next Office action. The objection to
the drawings will not be held in abeyance.

Allowable Subject Matter

- 2. Claims 1-10 are allowed.
- 3. The following is an examiner's statement of reasons for allowance: the prior art does not teach or suggest a deployable reflector including the specific structure of and cooperation between the deployable truss structure and the cable system as set forth in the combination of either claim 1 or claim 2. Regarding the references to Gilger, it should be noted that the prior art device does not include the specific integrated cable system and is silent as to the claimed connections corresponding

Art Unit: 2872

to nodes and antinodes of the buckling mode in claim 1, or the specific relative stiffness ratios between the internal surface cable system and the circumferential surface cable system as found in claim 2.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

The references to Waters and Harless disclose various arrangements for deployable reflectors.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark Robinson whose telephone number is (571) 272-2319.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Drew Dunn, can be reached at (571) 272-2312. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Application/Control Number: 10/541,524

Art Unit: 2872

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (571) 272-2800.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MR

2/5/07

Mark A. Robinson Primary examiner Page 4